Each

Friday, 01/08/2008 3:31:49 PM Date: User: Julie Lecoca **Process Sheet Drawing Name** : END FITTING ASS'Y LH : CU-DAR001 Dart Helicopters Services Customer **Job Number** : 40959 **Estimate Number** : 13344 : D3763043 **Part Number** P.O. Number : D3763 REVB **Drawing Number** This Issue : 01/08/2008 S.O. No. : : NC Project Number : N/A Prsht Rev. : B : // : LARGE FAB ASSY **Drawing Revision** First Issue Type : 40958 Material Previous Run : 21/08/2008 Qty: 4 Um: Due Date Written By Checked & Approved By new issue DD verified by:ec Comment 08-05-20 : Est Rev:A Est Rev:B 08-07-18 revB as per dwg DD verified by:EC **Additional Product** Job Number: Description: Seq. #: Machine Or Operation: PACKAGING RESOURCE #1 PACKAGING 1 1.0 Comment: PACKAGING RESOURCE #1 Pick Packing Kit D37631 **End Fitting** 2.0 Comment: Qty.: 2.0000 Each(s)/Unit Total: 8.0000 Each(s) **End Fitting** D37635 3.0 Total: 4.0000 Each(s) Comment: Qty : 1.0000 Each(s)/Unit Tube 4.0

Comment: LARGE FABRICATION RESOURCE 1

SP 08.08.20 1-make a 0.063" chamfer on D3763-1 fitting before ass'y

2-assemble and tack weld as per dwg D3763 using locating pin DT9014 SP 08.08

*****look at dwg before assembling parts (LH)*****

*****remove pin before welding*****

3-weld as per dwg D3763 QSI004 Alum. rod Batch: 11 108 037 BB.30



Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
Part No		PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date:		

NCR:			WORK ORDER NON-CONFORMANCE (NCR)								
DATE		Description of NC	Corrective Action Section B			Manifi andian					
	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector			
						,					

NOTE: Date & initial all entries

QA: N/C Closed: ____ Date: ____

	ay, 01/08/2008 3:31:49 PM	
User: Julie	Process Sheet	
Customer:	CU-DAR001 Dart Helicopters Services Drawing Name: END FIT	TTING ASS'Y LH
Job Number:	40959 Part Number: D376304	43
Job Number:		
Seq. #:	Machine Or Operation: Description	:
5.0	QC9 VISUAL WELDING INSPECTION	110010 4010 11011 1101
Comme	ent: VISUAL WELDING INSPECTION QC5 INSPECT WORK TO CURRENT STEP	n 0808-21
6.0		
7.0	PACKAGING 1 PACKAGING RESOURCE #1	y 08(08 10) (x4)
Comme		
	Identify wiith Dart part # using a fine point permanent marker and Stock	N 9 K/0 K/2 1 rs
8.0	Location:S \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \) 08/08/210
0.0		notados La
Comme		1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
- .		
Job Completion		
634.	. 11	
> Alod	ine as per trug 1/th	09.00.21 (+4)
1 11		
72,00	Z fl 00-08-21	(Xú)
<i>y</i> 000		MF 08-08-01
		1/11 00 000)


Dart Aerospace Ltd

W/O:		WORK ORDER C	WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
		~ .					ı	
Part No	•	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date:		

QA: N/C Closed: ____ Date: ___

NCR:			WORK ORDER NON-CONFORMANCE (NCR)							
DATE		Description of NC	Corrective Action Section B			Varification				
	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector		
	-									
						:				

NOTE: Date & initial all entries



D3763-043 END FITTING ASSY, LH

DESIGN HS DRAWN HS CHECKED MFG. APPR. APPROVED DE APPR.

DATE

3

END FITTING 08.06.23

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA

ENGINEERING

FYURCONTROLLED COPY

WITHOUT NOTICE

DE OI DOWN BUBIECT TO AMENDMENT

DRAWING NO. REV. B D3763 SHEET 2 OF 9 TITLE SCALE

NTS COPYRIGHT © 2008 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT

NOTES: 1) MATERIAL: N/A 1) MATERIAL: N/A
2) FINISH: CHEMICAL CONVERSION COAT ASSEMBLY PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A

8

7) WEIGHT: 0.05 lbs 8) WELD: PER DART QSI 004

5